EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	183	714/6.ccls. and (server servers) and @pd>"20060622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:16
L2	12	714/4.ccls. and (server servers) and (backup near6 storage) and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:23
L3	148	713/2.ccls. and (server servers) and @pd>"20060622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:25
L4	184	713/1.ccls. and (server servers) and @pd>"20060622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:27
L5	220	(lun (logical adj unit adj number)) adj (mask masks masking)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:51
L6	2	(address adj masking adj driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:59
L7	1	10/749137	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:59
S1	15	lun adj (mask masks masking)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 09:07
S3	103702	masking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 09:32

EAST Search History

S4	15	S3 and "dell".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 09:32
S5	1	"5822782".PN.	USPAT	OR	OFF	2003/03/25 09:55
S6	1	"6298427".PN.	USPAT	OR	OFF	2003/03/25 09:43
S7	1	"6279093".PN.	USPAT	OR	OFF	2003/03/25 09:43
S8	1	"6098146".PN.	USPAT	OR	OFF	2003/03/25 09:44
S9	1	"6078979".PN.	USPAT	OR	OFF	2003/03/25 09:44
S10	1	"6041395".PN.	USPAT	OR	OFF	2003/03/25 09:44
S11	1	"6032239".PN.	USPAT	OR	OFF	2003/03/25 09:44
S12	1	"6029237".PN.	USPAT	OR	OFF	2003/03/25 09:44
S13	1	"5996075".PN.	USPAT	OR	OFF	2003/03/25 09:44
S14	12	server near6 (storage adj device) near6 (backup adj storage adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 09:47
S15	1	"5996014".PN.	USPAT	OR	OFF	2003/03/25 09:45
S16	1	"5996014".PN.	USPAT	OR	OFF	2003/03/25 09:45
S17	1	"5987506".PN.	USPAT	OR	OFF	2003/03/25 09:46
S18	1	"5978860".PN.	USPAT	OR	OFF	2003/03/25 09:53
S19	1	"5931958".PN.	USPAT	OR	OFF	2003/03/25 09:53
S20	1	"5812754".PN.	USPAT	OR	OFF	2003/03/25 09:53
S21	1	"5761424".PN.	USPAT	OR	OFF	2003/03/25 09:53
S22	1	"5727218".PN.	USPAT	OR	OFF	2003/03/25 09:53
S23	1	"5694615".PN.	USPAT	OR	OFF	2003/03/25 09:53
S24	1	"5692219".PN.	USPAT	OR	OFF	2003/03/25 09:54
S25	1	"5657445".PN.	USPAT	OR	OFF	2003/03/25 09:54
S26	1	"5619728".PN.	USPAT	OR	OFF	2003/03/25 09:54
S27	1	"5432735".PN.	USPAT	OR	OFF	2003/03/25 09:54
S28	52	(masks mask masking) and "dell".as.	USPAT	OR	OFF	2003/03/25 09:59
S29	386	(masks mask masking) same (server servers)	USPAT	OR	OFF	2005/11/11 14:25
S30	36	S29 and "714"/$.ccls.	USPAT	OR	OFF	2003/03/25 09:59

S32	275	713/1.ccls. and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:18
S33	33	714/4.ccls. and (server servers) and (backup near6 storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:13
S34	102	714/4.ccls. and (san)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 14:34
S35	60	714/4.ccls. and (san) and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 12:03
S36	901	713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 12:57
S37	584	713/2.ccls. not 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 14:23
S38	775	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 12:16
S39	2	"20010016904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 09:32
S40	1	masking adj (LUN (logical adj unit adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 12:17
S41	1	(masking mask) adj (LUN (logical adj unit adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/21 13:24

S42	2	"6434714".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/21 13:24
S43	943	714/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 13:46
S44	245	714/6.ccls. and (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 13:50
S45	268	714/6.ccls. and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 12:31
S46	1	"5796684".PN.	USPAT	OR	OFF	2003/03/24 16:42
S47	1	"5615329".PN.	USPAT	OR	OFF	2003/03/24 16:42
S48	1	"5404508".PN.	USPAT	OR	OFF	2003/03/24 16:43
S49	1	"5212784".PN.	USPAT	OR	OFF	2003/03/24 16:43
S50	354	714/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 17:31
S51	736	713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 18:11
S52	247	713/2.ccls. and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:33
S57	20	(("6460113") or ("6463530") or ("6496942") or ("6178521") or ("6526418") or ("6393539") or ("6389459") or ("6360330") or ("5212784") or ("20010016904")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 12:19

S58	5	("2359153").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 12:19
S59	562	714/6.ccls. and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 12:04
S60	2	09/636347	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:45
S61	77	714/4.ccls. and (server servers) and (backup near6 storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 12:09
S62	647	713/1.ccls. and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 12:13
S63	531	713/2.ccls. and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 12:11
S64	4	09/464843	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:20
S65	133	(mask$3) same (server servers) and (backup)	USPAT	OR	OFF	2005/11/11 14:26
S66	47	(mask$3) same (server servers) and (backup with data)	USPAT	OR	OFF	2005/11/11 14:27
S67	22	((mask$3) with (server servers)) and (backup with data)	USPAT	OR	OFF	2005/11/11 14:28
S68	22	((mask$3) with (server servers)) and (backup with data)	USPAT	OR	OFF	2005/11/11 14:28
S69	124	(server adj failure) and ((operating adj system) with (boot$3 load$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:43

S70	571	(server with failure) and ((operating adj system) with (boot$3 load$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:43
S71	66	(server with failure) and ((operating adj system) with (boot$3 load$3)) and (data adj (restor$5 recover$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:43
S72	1	(address adj masking adj driver). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 11:15
S73	1	(address adj masking adj driver). clm. and (affected adj server).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 11:15
S75	125	714/6.ccls. and (server servers) and @pd>"20051108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:16
S76	12	714/4.ccls. and (server servers) and (backup near6 storage) and @pd>"20051013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:23
S77	134	713/2.ccls. and (server servers) and @pd>"20051103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:24
S78	125	713/1.ccls. and (server servers) and @pd>"20051108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:25
S79	1	(address adj masking adj driver). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 11:15
S80	1	(address adj masking adj driver). clm. and (affected adj server).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 11:15

S81	1	(address adj masking adj driver). clm. and (affected adj server).clm. and (dedicated adj backup adj storage).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 11:16
S82	1	(address adj masking adj driver). clm. and (affected adj server).clm. and (dedicated adj backup adj storage).clm. and (network).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:52

Google

Web Images Video News Maps **more »**

lun masking recovery   Search   Advanced Search
                                        Preferences

Web

Results **1 - 10** of about **109,000** for lun <u>masking</u> <u>recovery</u>. (0.14 seconds)

LUN masking makes for fast data recovery
Using the Volume Shadow Copy Service and Virtual Disk Service built into Windows
Server 2003, you can set system restore points by creating snapshots of ...
searchwincomputing.techtarget.com/tip/0,289483,sid68_gci1115888,00.html - 52k -
Cached - Similar pages

[DOC] Windows Server 2003 Active Directory Fast **Recovery** with Volume ...
File Format: Microsoft Word - View as HTML
As with tape-based **recovery** of data, **recovery** using Volume Shadow Copy Service ...
With **LUN masking**, the corrupt data is not lost, but can be unmasked later ...
download.microsoft.com/download/9/3/0/
9304593c-e16b-4e3b-aecc-4cdee9677a51/W2K3ActDirFastRecov.doc - Similar pages

Host
LUN Masking enables the N_Port to **mask** any LUNs that this N_Port should has no
access to. ... which I name it SIO_EDR - SubIO Error Detection and **Recovery**. ...
simsan.storwav.com/modules/host.htm · 28k · Cached - Similar pages

What is **LUN masking**?
LUN Masking is implemented primarily at the HBA (Host Bus Adapter) level. ... What is
free data **recovery** software? How do I recover hard drive data? ...
www.tech-faq.com/lun-masking.shtml · 23k · Mar 3, 2007 · Cached - Similar pages

Disaster **Recovery** with the PowerVault 530F
LUN masking grants a host exclusive access to a disk, array, or **LUN** partition. ... The
first step for **recovery** is to remove any mirror configuration on the ...
www.dell.com/content/topics/global.aspx/
power/en/ps4q01se_mikejuan?c=us&cs=555&l=en&s=biz · 32k · Cached - Similar pages

Lun Masking - BusinessWeek Technology Solution Finder Results for ...
Search Results. for keyword: **Lun Masking** returned 16 results. ... and replicate
heterogeneous storage volumes over long distances for disaster **recovery**. ...
techfinder.businessweek.com/search/
keyword/businessweek/Lun%20Masking/Lun%20Masking - 82k -
Cached - Similar pages

Infosec Know IT All Trivia: Storage security
LUN masking and zoning prevents an outside user from getting direct access to a server
that ... Remote backup and **recovery** c. Interoperability of software ...
searchsecurity.techtarget.com/generic/
0,295582,sid14_gci1049731,00.html?bucket=REF&topic=299927 - 55k -
Cached - Similar pages

SQL Server on a SAN
The magazine includes tips on data **recovery**, data commands, ... **LUN masking**
functions similarly to ACLs on Common Internet File System (CIFS) shares in a ...
www.sqlmag.com/Articles/ArticleID/48486/48486.html - Similar pages

DSstar: STORAGE SECURITY -- WHAT, HOW, WHY
LUN masking is another storage security method that controls which storage ... **LUN
masking** can also be implemented at the storage device in which the ...
www.taborcommunications.com/dsstar/03/1021/106824.html - 15k -
Cached - Similar pages

Westan - Computer Hardware, Telecommunications, Storage ...
LUN Masking and Mapping enable SANs and large clusters ... PerfectRAID™ and
Predictive Data Migration™ technology for robust error handling and **recovery** ...
www.westan.com.au/Aboutus/divisionssf.asp?div=3&PCat=4 · 62k ·
Cached - Similar pages

Next

---

lun masking recovery | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google